

MORTAR

Mortar Mixer MM



4

Heavy Duty steel hood

latch rather than rubber

Heavy Duty axle with 2 gussest per side for strenght added High speed hubs & Wheels 1 single piece Squared Box steel tubing T-Frame with reinforced gussets Quick access, front disengage handle, protected through the T-frame

ball or Printle Hitch

Heavy Duty Shedule

80 Retractable Tow Tongue (hitch)

Heavy Duty Safety Chain

MODEL	MM 60	MM 80	MM 10
Batch capacity bags	1.5 - 2 bags	2.5 - 3 bags	3 - 3.5 bags
Batch capacity cu. ft. (lts.)	6 cu. ft.(170)	8 cu. ft. (230)	9.5 cu. ft. (270)
Power	Honda 5.5 to 8 HP or 1.5 HP electric	Honda 8 HP or 1.5 HP electric	Honda 8 HP or 2 HP electric
Drive	V-Belt To gears	V-Belt To gears	V-Belt To gears
Wheels 12 x 4.8 High - Speed		13 x 6.5 High - Speed	13 x 6.5 High - Speed
Overall Width in (cm) 45" (114)		51" (129)	51" (129)
Tow Pole In Length in (cm)	76" (193)	76" (193)	76" (147)
Overall Height in (cm)	55" (140)	58" (147)	60" (152)
Weight (approx.) Lbs (kgs)	683 Lbs (309)	772Lbs (350)	816Lbs (370)
Spiral Blades Option	yes	yes	yes

Batch capacity varies, based on ratio of materials used. Batch size will never equal total volume.








MORTAR

Mortar Mixer MMP

Building the American Dream



Batch capacity varies, based on ratio of materials used. Batch size will never equal total volume.







MORTAR

Mortar Mixer MM

Durable 3/16" drum thickness

(Available up to 1/4" steel)

Life Time Warranty on drum bearings & seals

Tongue (hitch)

Cast Iron Pillow Block for strenght added

Building the American Dream

Heavy duty safety grid with built-in bag cuter

Single piece 1 3/4" square central shaft rather than welding at both ends, For Strenght added



Heavy duty and efficient ventilation shroud

Reliable HONDA engine or electric motor



No Extra Cost, for 2" ball or Printle Hitch Heavy Duty Shedule 80 Retractable Tow 1 single piece Squared Box steel tubing T-Frame with reinforced gussets

Hea	yy Duty axle with 2 gussest pe side for strenght added

MODEL	MM12	
Batch capacity bags	3.5 - 4 bags	
Batch capacity cu. ft. (lts.)	12 cu.ft.(340)	
Power	Honda 13 HP 5 HP electric	
Drive	Double Transmission V-Belt To gears	
Wheels	13 x 6.5 High - Speed	
Overall Width in (cm)	51" (129)	
Tow Pole In Length in (cm)	87" (220)	
Overall Height in (cm)	58" (147)	
Weight (approx.) Lbs (kgs)	980 Lbs (444)	
Spiral Blades	Optional	



Batch capacity varies, based on ratio of materials used.
Batch size will never equal total volume.







Building the American Dream

Reliable HONDA engine or electric motor

Heavy duty and efficient ventilation shroud

Standard 4" fork lift pockets


for easy transportation

Heavy duty safety grid with built-in bag cuter

MORTAR

Mortar Mixer MM

EXCLUSIVE 4/2 PADDLE SISTEM FOR BETTER MIX





Durable 3/16" drum thickness (Available up to 1/4" steel)

No Extra Cost, for 2" ball or Printle Hitch Heavy Duty Shedule 80 Retractable Tow Tongue (hitch)



Life Time Warranty on drum bearings & seals

GEARBOX SYSTEM WITH SHEAR PROTECTION



MODEL	MM12G	
Batch capacity bags	3.5 - 4 bags	
Batch capacity cu. ft. (lts.)	12 cu.ft.(340)	
Power	Honda 13 HP	
Drive	Mechanical gears	
Wheels	13 x 6.5 High - Speed	
Overall Width in (cm)	51" (129)	
Tow Pole In Length in (cm)	96" (233)	
Overall Height in (cm)	58" (147)	
Weight (approx.) Lbs (kgs)	1120Lbs (508)	
Spiral Blades	Optional	

Batch capacity varies, based on ratio of materials used. Batch size will never equal total volume.





MORTAR Mortar Mixer HM



MODEL	HM12	HM16
Batch capacity bags	3.5 - 4 bags	4 - 4.5 bags
Batch capacity cu. ft. (lts.)	12 cu.ft.(340)	16 cu.ft. (453)
Power	Honda 13 HP 7 HP electric	Honda 13 HP 7 HP electric
Drive and Dump	Hydraulic	Hydraulic
Wheels	13 x 6.5 High - Speed	13 x 6.5 High - Speed
Overall Width in (cm)	51" (129)	51" (129)
Tow Pole In Length in (cm)	96" (233)	96" (233)
Overall Height in (cm)	58" (147)	58" (147)
Weight (approx.) Lbs (kgs)	1240 Lbs (562)	1355Lbs (615)
Spiral Blades	Optional	Optional







